CLC: Concrete Tanks



CLC Vasche, which stands for "Cooperative Lavorazione Cementi," is a family-owned and run company located outside of Padova in North Eastern Italy. CLC is a leading manufacturer for standard and tailor made concrete tanks for wine production, whose tanks can be found throughout Italy, France, Spain, South Africa and other important winemaking countries throughout the world.

MATERIAL -

CLC concrete tanks are made of either concrete, or reinforced concrete depending on the shape and size of the tank. The production and mix of concrete is a consistent blended aggregate of sand, marl, clay, stones and gravel sourced from the local Brenta river which is fed from rivers that originate from melting glaciers high up in the neighboring Dolomite Mountains reaching into the Alps.

HISTORY -

CLC was **founded** in 1955 by a group of Italian families that to this day run the company together. They specialize in the **production of standard, modular tanks but have also built their reputation by offering tailor made concrete tanks** that are customized to their customers' cellars and needs.

PRODUCTION

A state of the art, computerized machine is used to accurately and consistently mix the right amounts of all necessary aggregates, cement, and water in order to guarantee a consistent and optimal mix of concrete across all tanks. For small standard tanks, the concrete is poured inside of molds and allowed to cure. For larger tanks, rebar and reinforced steel is used to provide structural support to the tank.



Standard concrete tanks in a cellar in Tuscany.

CLC Opale in "Ferrari Red."

POROSITY / WINEMAKING —

If the interior of the concrete tanks are not lined with epoxy, application of 30% tartaric acid solution is needed to neutralize the inside of the concrete tank before using for wine production therefore the porosity of the concrete varies over time, however concrete does allow wine to breathe. Due to it's extremely stable thermal inertia characteristics, concrete tanks are excellent vessels for fermentation; but many producers also opt to age their wine in the vessels too.

SOME FRENCH REFERENCES

Côtes du Rhône:

Matthieu Barret - Domaine du Coulet, Domaine Ferrotin, Domaine Almoric, Domaine Fayolles, Domaine Tour St. Michel, Domaine La Bouissiere Faravel, Clos St Jean, Domaine de L'Olivier, Les Poulvarels.

Bordeaux:

Château Mazeyres, Château Bel Air, Château Vieux Pourret, Château Fonroque, Château Moulin Cadet, Château Mousseyron, Château Ferrière, Château Corbin, Château Réaut, Château Deyrem Valentin, Château Bessan, Château Haut Maurac.

South West / Provence:

Domaine D'espérance, Domaine Chiroulet, Domaine Le Roc, Cosse Maisonneuve, Château de Rodhes, Château Puech Haut, Clos Marie, Mas de Chimères, Ermitage Pic St. Loup, Domaine de Tamary, Château Roubine.

2021 USA PRICES CLC

- All prices below are listed in Euros (ϵ) and include delivery to our Napa Valley or Sonoma Valley, CA warehouses.
- Depending on the order, delivery of container with tanks can be organized DDP winery.
- Products will be invoiced in US dollars (\$) based on exchange rate of date of invoice. Payments can be made locally in US dollars.

 A 30% deposit is due at order confirmation and 70% balance due upon delivery to the winery.



(CONCRETE TANKS MADE IN ITALY.)

DIAMANTE 20 HL

	1 ONE-DOOR [HORIZONTAL]	TWO-DOOR [HORIZONTAL]	3 ONE-DOOR (VERTICAL)
			ATTENTION: Ships horizontally installed verticall in cellar.
Volume (g)	528	528	528
Height (in)	59	59	83
Base Height (in)	10	20	10
Total Height (in)	69	79	93
Width (in)	57	57	57
Length (in)	79	79	57
Weight (lbs)	4,620	4,620	4,620
Price (Euro)	8,990.00 €	9,980.00 €	9,980.00 €

DIAMANTE STANDARD ACCESSORIES

- Top manhole DN 500 mm and double action relief PVC valve (1,2,3)
- Rectangular manway 315x420 mm with drip lip (horizontal opening) (1,2,3)
- 1/2" Sampling ball valve fixed on the frontal manway (1,2,3)
- Oval manway flush to the tank bottom with drip lip (2)
- Partial discharge racking 2" Tri Clover ball valve, gasket, bolts, cap with chain and drain hole, fixed on the oval manway (2)
- 49 inch x 60 inch x 11 inch stand (3)

- Total discharge ball valve 2" Tri Clover ball valve, bolts, cap with chain and drain hole (1,2,3)
- 2x 10 inch tall Concrete supports (1)
- 2x 20 inch tall Concrete supports (2)
- Standard Grey Ral smooth wash concrete exterior (1,2,3)
- More accessories on pg. 11

Numbers corresponds to type of Diamante

OPALE



Product	Volume (g)	Height (in)	Diameter (in)	Weight (lbs)	Price (Euro)	Product	Volume (g)	Height (in)	Length (in)	Width (in)	Weight (lbs)	Price (Euro)
44	1,162	80	89	12,125	11,840.00€	15	396	79	57	57	6,614	9,125.00€
51	1347	89	89	12,787	12,570.00€	20	528	79	63	63	7,716	9,925.00€
BELOW SIZES LOA	ADED IN CONTAINER	R HORIZONATLLY AN	D REQUIRE ADDITIO	NAL INSTALLMENT	FEES AT WINERY.	30	793	79	73	73	9,039	11,335.00 €
57	1,501	99	89	13,228.72	12,995.00€	40	1057	98	68	68	-	12,995.00€
62	1,638	109	89	13,668	13,390.00€	BELOW SIZES	LOADED IN CONT.	AINER HORIZONA	TLLY AND REQUI	RE ADDITIONAL I	NSTALLMENT FE	ES AT WINERY.
67	1,770	119	89	14,110	14,025.00€	20	528	98	58	58	7,716	-
70	1,849	129	89	14,330	14,245.00 €	30	793	98	66	66	9,039	-
72	1,902	139	89	14,500	14,355.00 €	40	1057	98	68	68	-	-

OPAL STANDARD ACCESSORIES

- Rectangular manway 405 x 530 mm with drip lip, flush to the inner bottom (vertical opening)
- Top Manhole, 800 mm, double action relief pvc valve (Opale 44HL 67HL)
- Top Manhole, 500 mm, double action relief pvc valve (Opale 70HL 72HL)
- Partial discharge racking 2" Tri Clover Ball Valve
- Full discharge draining 2" Tri Clover Ball Valve
- 1/2" Sampling ball valve
- Standard Grey Ral smooth wash concrete exterior
- More accessories on pg. 11

CRU



- Rectangular manway 405 x 530 mm with drip lip, flush to the inner bottom (horizontal opening)
- Top Manhole, 500 mm, double action relief pvc valve
- Full discharge draining 2" Tri Clover Ball Valve
- 1/2" Sampling ball valve
- Standard Grey Ral smooth wash concrete exterior
- More accessories on pg. 11



- All prices below are listed in Euros (€) and include delivery to our Napa Valley or Sonoma Valley, CA warehouses.
- Depending on the order, delivery of container with tanks can be organized DDP winery.
- Products will be invoiced in US dollars (\$) based on exchange rate of date of invoice. Payments can be made locally in US dollars.
- A 30% deposit is due at order confirmation and 70% balance due upon delivery to the winery.

2021 USA PRICESCLC Standard Tanks

IMPORTANT: CLC takes great pride in making tailor made concrete wine tanks that can be customized depending on your winery. But for any tank taller than 89 inches, they will need to be loaded inside of the container horizontally which requires additional container unloading and tank installation services.

STANDARD


Product	Volume (g)	Height (in)	Length (in)	Width (in)	Weight (lbs)	Price (Euro)
15	396	79	45	45	5,952	7,825.00 €
20	528	79	57	45	7,055	8,725.00 €
25	660	79	57	54	7,937	9,200.00€
30	793	79	57	63	8,818	9,460.00€
40	1,057	79	57	81	10,367	10,605.00€
50	1,321	79	69	81	11,684	12,700.00€
60	1,585	79	69	96	13,228	13,905.00 €
75	1,981	79	85	87	15,432	14,820.00 €
100	2,642	79	85	112	18,960	18,550.00 €
125	3,302	79	85	141	24,251	19,425.00 €

TRONCO

Product	Volume (g)	Height (in)	Length (in)	Width (in)	Weight (lbs)	Price (Euro)
20	528	79	55	57	7,055	8,980.00€
25	660	79	61	61	7,937	9,560.00€
30	793	79	65	65	8,598	9,875.00 €
40	1,057	79	73	72	10,141	10,145.00 €
50	1,322	79	81	81	11,905	11,525.00 €

VENUS

Product	Volume (g)	Height (in)	Length (in)	Width (in)	Weight (lbs)	Price (Euro)
20	528	79	57	47	7,275	8,220.00€
30	793	79	80	47	9,259	9,475.00 €
40	1,057	79	80	60	10,582	12,385.00 €
50	1,321	79	80	74	11,905	13,580.00 €
60	1,585	79	80	86	13,448	13,925.00 €
75	1,981	79	80	105	15,653	15,665.00 €




STANDARD ACCESSORIES: STANDARD / TRONCO / VENUS

- Rectangular manway 405 x 530 mm with drip lip, flush to the inner bottom (horizontal opening)
- Top Manhole 500 mm, double action relief pvc valve
- Partial discharge racking 2" Tri Clover ball valve
- Full discharge draining 2" Tri Clover ball valve

- 1/2" Sampling ball valve
- Standard Grey Ral 7030 concrete exterior
- 4x 80 cm tall feet per Standard and Tronco tank and 4x 40 cm tall feet per Venus tank
- More accessories on pg. 11

ACCESSORIES CLC Concrete Tanks



Depending on the tank and accessory, the below accessories can be included either on the Diamante, Opale, Cru, Standard, Tronco and Venus tanks.

LOGOS /	COLOR / CONSTRUCTION	PRICES (EURO)		PRICES (EURO)		
CORBIN	SMALL: max 190 x 190 mm Logo on façade	VARIES		Rectangular Manway (405 x 530 mm) with drip, flush to the inner bottom AISI 304 SS - Horizontal Opening	840 €	
	LARGE: max 380 x 380 mm Logo on façade	VARIES	A S	Rectangular Manway (405 x 530 mm) with drip, flush to the inner bottom	1,125 €	
7 5 5	Standard Grey Ral 7030. Other colors to be defined on Ral standard color.	INCLUDED	<u> </u>	AISI 304 SS - Vertical Opening Round Manway (DN 400 mm)		
	Concrete Kickflat on the top 100 x 150 mm - cost for each single side	265 €	_ N	with drip, flush to the inner bottom AISI 304 SS - Outwards Opening	790 €	
	ACCESSORIES	PRICES (EURO)		HOLE, DOUBLE ACTION RELIEF LE (AVAILABLE FOR DISCOUNT)	PRICES (EURO)	
	DN 40 (1.5" TriClover Valve)	370 €		DN 400 (mm)	-185 €	
E	DN 50 (2" TriClover Valve)	405 €		DN 500 (mm)	INCLUDED	
	Rotating Decanter bended pipe combined with a valve.			DN 600 (mm)	820 €	
V		405 € 445 €		DN 800 (mm)	1,670 €	
her .				DN 1000 (mm)	1,850 €	
	Bottom Drain Plug DN 80 (no valve, only cap with chain)			DN 1200 (mm)	2,125€	
	- AISI 304		ANTI FA	ANTI FALL GRID FOR TOP MANHOLE		
10	1/2" Screw Down Sampling Tap	70 €	All In	DN 800 (mm)	420 €	
	1/2" Sampling Ball Valve	135 €		DN 1000 (mm)	445 €	
G 40-	Analog Thermometer			DN 1200 (mm)	555 €	
30 50	-20 +60 °C with 1/2" well (30 cm length) additional thermowells	240 €	SEED SCR	PRICES (EURO)		
	available upon request			Ø 200 mm Cylindrical Screen h.500 mm	280 €	
	E WITH DN 24 POLYCARBONATE AND STAINLESS STEEL FRAME	PRICES (EURO)	1 2 3 e	200 mm Cylindrical Screen h.1000 mm	465 €	
Open circut with bottom drain port		260 €		350 mm Shutter Screen h. 500 mm	340 €	
Closed circut w	rith bottom drain port and top valve	445 €		350 mm Shutter Screen h. 1000 mm 665 s		
Curved versi	on for Venus façade - Surcharge	735 €	COOLING	PIPES DN 34 (FIXED VERTICALLY F	ROM THE TOP)	
COOLING	PLATE (FIXED VERTICALLY FROM	THE TOP)				





				A					PRICE STA	NDARD	PRICE TR	RUNCATED	
LENGTH (mm)					SMALL (40HL - 80HL) 1,610 € 1,8		20 €						
	1000	1200	1400	1600	1800	2000				_			
2	675 €	750 €	790 €	835 €	875 €	930 €	LAR	LARGE (90HL - 120HL+) 1,820 €		€	1,960 €		
7	0700	7000	7700	000 0	0700	700 0		FE	ET OPTIONS (4X	FEET PER PAG	CK)		
2	760 €	840 €	915 €	1,1015 €	1,065 €	1,135 €	ш	WIDTH / LENGTH (in)	HEIGTH (in)	WEIGHT (lbs for 4)	x feet) F	PRICE (4x feet)	

FEET OPTIONS (4X FEET PER PACK)									
CONCRETE	WIDTH / LENGTH (in)	HEIGTH (in)	WEIGHT (lbs for 4x feet)	PRICE (4x feet)					
	12 x12	24	1,190	200 €					
	12 x 12	28	1,389	335 €					
	16 x16	31	2,822	500 €					

*Smaller feet abvailable upon request

*Inox feet available upon request

1,060 €

995€

795€

915€